

Grasses (Forage) SEED TREATMENT

Chemical	Application	Dosage ¹	Control ² of Seedling Blights ³	Remarks
Captan Captan 30-DD, 28.7%	Slurry	6.5 fl oz/cwt	X	
Fludioxonil Maxim 4 FS, 40.3%	Slurry	0.08-0.16 fl oz/cwt	X	For seed-borne and soil-borne fungi.
Mefenoxam Apron XL LS, 32.3%	Slurry or mist	0.32-0.64 fl oz/cwt	X	Apron XL LS controls only Pythium. For both commercial and on-farm use.
Metalaxyl Allegiance FI 28.35%	Mist or slurry	0.75 fl oz/cwt	X	Allegiance controls only Pythium. Allegiance Dry Seed Protectant is for drill box application to seed not previously treated with Apron - thorough mixing of fungicide and seed is essential for good control.
Allegiance Dry Seed Protectant, 12.5%	Drill box	3-4 oz/cwt	X	
Dyna-Shield, 28.35%	Slurry	0.75 fl oz/cwt	X	
Thiram 42-S Thiram, 42%	Liquid or slurry	8 fl oz/cwt	X	
Thiram 50WP Dyed, 50%	Drill box or slurry	8 oz/cwt	X	

¹Dosage = Amount of formulated product to apply.

²X = Product labeled for crop and disease; Blank = product not labeled for specific disease.

³Seedling blights due to various fungal infections of seed.