

Barley - Hettinger Recrop

Barley - Recrop Hettinger

Variety	Days to Head	Plant Height	Test Weight	Protein	Grain Yield			Average Yield	
					1995	1996	1997	2 year	3 year
		in	lbs/bu	%	-----bu/ac-----				
Logan	58	28	50.1	14.4	80.7	89.1	97.1	93.1	89.0
Conlon	57	29	49.5	14.0	78.8	87.2	93.5	90.4	86.5
Stark	58	29	50.7	14.5	73.6	81.9	103.1	92.5	86.2
Bowman	58	26	50.1	14.9	72.1	81.7	98.2	90.0	84.0
Chinook	60	27	49.7	14.7		80.8	104.5	92.6	
Harrington	62	29	46.5	15.2		69.3	93.8	81.6	
Foster	56	27	46.4	13.8			104.9		
Trial Mean	59	28	49.0	14.5	68.6	81.6	99.3	--	--
C.V. %	0.8	7.8	1.1	3.7	5.7	9.2	7.1	--	--
LSD .05	1	NS	0.8	0.8	5.8	11.0	NS	--	--
LSD .01	1	NS	1.1	1.1	7.9	14.9	NS	--	--

Planting Date: April 30, 1997

Harvest Date: August 4, 1997

Previous Crop: HRSW

Seeding rate: 750,000 live seeds/A (approx. 1.4 bu/A).

Yields are adjusted to 12% moisture.

NS = No statistical difference between varieties.