

Durum - Mandan

Durum Mandan

| Variety | Plant Height | Test Weight | Protein | Grain Yield |
|------------|--------------|-------------|---------|-------------|
| | in | lbs/bu | % | bu/ac |
| Ben | 33 | 50.0 | 14.0 | 42.5 |
| Renville | 33 | 57.0 | 13.7 | 40.9 |
| Vic | 34 | 57.2 | 14.2 | 36.9 |
| Munich | 31 | 55.9 | 12.9 | 34.2 |
| Belzer | 34 | 55.7 | 13.3 | 31.8 |
| Trial Mean | 33 | 57.2 | 13.6 | 37.5 |
| C.V. % | 5.3 | 2.0 | -- | 15.7 |
| LSD .05 | NS | 1.8 | -- | NS |
| LSD .01 | NS | 2.5 | -- | NS |

Planting Date: May 13, 1997

Harvest Date: August 20, 1997

Previous crop: 100 bu/ac corn.

Seeding rate: 1.25 million live seeds/A (approx. 2.2 bu/A).

Yields are adjusted to 12.5% moisture.

NS = no statistical difference between varieties.

Notes: Ground was intensively worked prior to planting to break down corn stubble. Seed was planted into dry soil resulting in a poor and uneven stand.